

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/543679</u>	Examiner : <u>Epps-Ford</u>	GAU : <u>1635</u>	
From: <u>CA</u>	Location: <u>(IDC) FMF FDC</u>	Date: <u>03-22-05</u>	
Tracking #: <u>06037583</u>		Week Date: <u>11-08-04</u>	

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Continuing data cited in specification can't be updated in PALM. The date rule prevents two of the provisional cases to be added in PALM + the PCT date cannot be added either. please resolve.

Thank You CA

[XRUSH] RESPONSE: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04